

RoHS COMPLIANT

MECHANICAL

Antenna Cover : TPE.

Antenna Base : ABS.

Color : Black


ELECTRICAL

Frequency : DVB-T

GSM

Connector : SMA Male

Cable : Coaxial Cable RG-174



設計DR.

Marco

96.03.09

核准APPD.

Jerry

96.03.09

容許公差

.XXX

.XX

.X

X

ANG

TOLERANCE

$\pm 0.10$

$\pm 0.25$

$\pm 0.38$

$\pm 0.50$

$\pm 3^\circ$

品名

ARTICLE

GSM Antenna

圖號


DWG NO.

6641601043-25M

版本說明

REVISION NOTE

 **KINSUN** 慶陞



單位 UNIT

mm

比例 SCALE

1/1

張數 SHEET

1/1

版本 REV.

A




**Advance Data Technology Corporation 誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C. <http://www.adt.com.tw/> E-mail: service@adt.com.tw  
 Taoyuan Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C. Tel (03) 318-3232 Fax (03) 318-5050  
 Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C. Tel (03) 327-0910 Fax (03) 327-0892  
 Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT  
 Remark : 平放  
 Tested by : Rex Huang  
 EUT description :

Location: Date: **2006/12/4** Time: **下午 01:29:26**  
 Temperaturer (°C): **22** Humidity (%): **62** Approved by:



Frequency (MHz) : **474.00**      Antenna Polarity : **Horizontal**      Average Value (dB) : **-9.63**  
 Maximum Value (dB) : **-6.81**      Maximum Value (degree) : **93**  
 Minimum Value (dB) : **-44.48**      Minimum Value (degree) : **359**

D:\Antenna Pattern V6.1\Graph\1204\12040044.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

<http://www.adt.com.tw/> E-mail: [service@adt.com.tw](mailto:service@adt.com.tw)

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark :

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:10:32

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 474.00

Antenna Polarity : Vertical

Average Value (dB) : -7.98

Maximum Value (dB) : -6.71

Maximum Value (degree) : 6

Minimum Value (dB) : -9.76

Minimum Value (degree) : 227

D:\Antenna Pattern V6.1\Graph\1204\12040038.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

<http://www.adt.com.tw/> E-mail: [service@adt.com.tw](mailto:service@adt.com.tw)

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark : 平放

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:31:17

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 533.00

Antenna Polarity: Horizontal

Average Value (dB): -6.38

Maximum Value (dB): -3.99

Maximum Value (degree): 278

Minimum Value (dB): -40.34

Minimum Value (degree): 178

D:\Antenna Pattern V6.1\Graph\1204\12040045.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsueh-Li Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsueh-Li, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark :

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:12:05

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz) : 533.00

Antenna Polarity : Vertical

Average Value (dB) : -3.42

Maximum Value (dB) : -2.42

Maximum Value (degree) : 128

Minimum Value (dB) : -5.24

Minimum Value (degree) : 263

D:\Antenna Pattern V6.1\Graph\1204\12040039.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



Advance Data Technology Corporation

誠信科技股份有限公司

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark : 平放

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:32:52

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz) : 593.00

Antenna Polarity : Horizontal

Average Value (dB) : -3.60

Maximum Value (dB) : -0.52

Maximum Value (degree) : 294

Minimum Value (dB) : -28.57

Minimum Value (degree) : 2

D:\Antenna Pattern V6.1\Graph\1204\12040046.png

( 測 試 方 式 : 放 鐵 板 )



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Keelung, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei Sikai 3rd St., Keelung, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn, Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-6060

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT  
 Remark :  
 Tested by : Rex Huang  
 EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:13:50

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 593.00

Antenna Polarity: Vertical

Average Value (dB): -1.52

Maximum Value (dB): -0.66

Maximum Value (degree): 93

Minimum Value (dB): -2.40

Minimum Value (degree): 304

D:\Antenna Pattern V6.1\Graph\1204\12040040.png

( 測 試 方 式 : 放 鐵 板 )





<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT  
 Remark : 平放  
 Tested by : Rex Huang  
 EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:34:30

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz) : 862.00

Antenna Polarity : Horizontal

Average Value (dB) : -5.17

Maximum Value (dB) : -0.95

Maximum Value (degree) : 52

Minimum Value (dB) : -31.55

Minimum Value (degree) : 4

D:\Antenna Pattern V6.1\Graph\1204\12040047.png

( 測 試 方 式 : 放 鐵 板 )





<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Keelung, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei Shai 3rd St., Keelung, Taoyuan, Taiwan, R.O.C.

Hsichih Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichih, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark :

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:16:03

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 862.00

Antenna Polarity : Vertical

Average Value (dB) : -4.57

Maximum Value (dB) : -4.07

Maximum Value (degree) : 86

Minimum Value (dB) : -5.08

Minimum Value (degree) : 265

D:\Antenna Pattern V6.1\Graph\1204\12040041.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



Advance Data Technology Corporation

誠信科技股份有限公司

<http://www.adt.com.tw/> E-mail: [service@adt.com.tw](mailto:service@adt.com.tw)

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (03) 327-0910 Fax (03) 327-0892

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT  
 Remark : 平放  
 Tested by : Rex Huang  
 EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:36:05

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 890.00

Antenna Polarity: Horizontal

Average Value (dB): -3.96

Maximum Value (dB): 0.55

Maximum Value (degree): 55

Minimum Value (dB): -45.00

Minimum Value (degree): 2

D:\Antenna Pattern V6.1\Graph\1204\12040048.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark :

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:17:33

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 890.00

Antenna Polarity: Vertical

Average Value (dB): -3.62

Maximum Value (dB): -2.90

Maximum Value (degree): 28

Minimum Value (dB): -4.44

Minimum Value (degree): 358

D:\Antenna Pattern V6.1\Graph\1204\12040042.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



Advance Data Technology Corporation

誠信科技股份有限公司

<http://www.adt.com.tw/> E-mail: [service@adt.com.tw](mailto:service@adt.com.tw)

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (03) 327-0910 Fax (03) 327-0892

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT  
 Remark : 平放  
 Tested by : Rex Huang  
 EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:37:44

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 960.00

Antenna Polarity: Horizontal

Average Value (dB): -3.17

Maximum Value (dB): 1.32

Maximum Value (degree): 50

Minimum Value (dB): -25.14

Minimum Value (degree): 180

D:\Antenna Pattern V6.1\Graph\1204\12040049.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark :

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:19:47

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 960.00

Antenna Polarity: Vertical

Average Value (dB): -2.96

Maximum Value (dB): -1.99

Maximum Value (degree): 301

Minimum Value (dB): -3.91

Minimum Value (degree): 158

D:\Antenna Pattern V6.1\Graph\1204\12040043.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



Advance Data Technology Corporation

誠信科技股份有限公司

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT  
 Remark : 平放  
 Tested by : Rex Huang  
 EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:40:50

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 1710.00

Antenna Polarity: Horizontal

Average Value (dB): -2.08

Maximum Value (dB): 2.51

Maximum Value (degree): 290

Minimum Value (dB): -22.56

Minimum Value (degree): 175

D:\Antenna Pattern V6.1\Graph\1204\12040050.png

( 測 試 方 式 : 放 鐵 板 )





<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



Advance Data Technology Corporation

誠信科技股份有限公司

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (03) 327-0910 Fax (03) 327-0892

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark :

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 12:08:43

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz) : 1710.00

Antenna Polarity : Vertical

Average Value (dB) : -0.44

Maximum Value (dB) : -0.09

Maximum Value (degree) : 0

Minimum Value (dB) : -0.79

Minimum Value (degree) : 199

D:\Antenna Pattern V6.1\Graph\1204\12040033.png

( 測 試 方 式 : 放 鐵 板 )







<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



Advance Data Technology Corporation

誠信科技股份有限公司

<http://www.adt.com.tw/> E-mail: [service@adt.com.tw](mailto:service@adt.com.tw)

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (03) 327-0910 Fax (03) 327-0892

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark :

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 12:11:53

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz) : 1880.00

Antenna Polarity : Vertical

Average Value (dB) : -4.12

Maximum Value (dB) : -3.29

Maximum Value (degree) : 341

Minimum Value (dB) : -5.29

Minimum Value (degree) : 267

D:\Antenna Pattern V6.1\Graph\1204\12040034.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (03) 327-0910 Fax (03) 327-0892

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT  
 Remark : 平放  
 Tested by : Rex Huang  
 EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:44:18

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 1980.00

Antenna Polarity: Horizontal

Average Value (dB): -2.27

Maximum Value (dB): 4.29

Maximum Value (degree): 39

Minimum Value (dB): -32.06

Minimum Value (degree): 202

D:\Antenna Pattern V6.1\Graph\1204\12040052.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn, Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark :

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:02:55

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 1980.00

Antenna Polarity: Vertical

Average Value (dB): -8.89

Maximum Value (dB): -7.03

Maximum Value (degree): 242

Minimum Value (dB): -10.79

Minimum Value (degree): 212

D:\Antenna Pattern V6.1\Graph\1204\12040035.png

( 測 試 方 式 : 放 鐵 板 )



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD, Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St, Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn, Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT  
 Remark : 平放  
 Tested by : Rex Huang  
 EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:45:51

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 2450.00

Antenna Polarity: Horizontal

Average Value (dB): -4.45

Maximum Value (dB): 2.98

Maximum Value (degree): 51

Minimum Value (dB): -30.06

Minimum Value (degree): 355

D:\Antenna Pattern V6.1\Graph\1204\12040053.png

( 測 試 方 式 : 放 鐵 板 )



<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



**Advance Data Technology Corporation**

**誠信科技股份有限公司**

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-Siang 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstn., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark :

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:04:36

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 2450.00

Antenna Polarity: Vertical

Average Value (dB): -16.95

Maximum Value (dB): -13.94

Maximum Value (degree): 117

Minimum Value (dB): -20.88

Minimum Value (degree): 308

D:\Antenna Pattern V6.1\Graph\1204\12040036.png

( 測 試 方 式 : 放 鐵 板 )





<http://www.kinsun.com>

TEL : (03) 4353551

FAX : (03) 4353951



Advance Data Technology Corporation

誠信科技股份有限公司

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kwei-San, Taoyuan, Taiwan, R.O.C.

Taipei Lab : 13-1 Lane 19, Wei-San 3rd St., Kwei-San, Taoyuan, Taiwan, R.O.C.

Hsichui Lab: 81-1 Lillackeng, 9th Ln, Wuling Tstet., Chungli, Hsichui, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tel (03) 327-0910 Fax (03) 327-0892

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 6651-DVBT

Remark : 平放

Tested by : Rex Huang

EUT description :

Location:


Date: 2006/12/4

Time: 下午 01:47:37

Temperatuer (°C): 22

Humidity (%): 62

Approved by:



Frequency (MHz): 5800.00

Antenna Polarity: Horizontal

Average Value (dB): -6.54

Maximum Value (dB): -0.38

Maximum Value (degree): 24

Minimum Value (dB): -26.14

Minimum Value (degree): 179

D:\Antenna Pattern V6.1\Graph\1204\12040054.png

( 測 試 方 式 : 放 鐵 板 )



